

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows. This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A ~~use of a compound for the manufacture of a medicament~~ method for the treatment of a patient suffering from a disease or a disorder correlated directly or indirectly with sarcoidosis, ~~wherein said compound is~~ comprising administering to the patient a peptide or a polypeptide comprising the following amino acid sequence:

Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No.4).

2. (Currently amended) A ~~use~~ The method according to claim 1, wherein said peptide or said ~~[[a]]~~ polypeptide further comprises at least one of the following amino acid sequences:

His-Ser-Asp (SEQ ID No. 14); and Phe-Thr-Asp (SEQ ID No. 13).

3. (Currently amended) A ~~use~~ The method according to claim 1, wherein said peptide or said ~~[[a]]~~ polypeptide further comprises the amino acid sequences His-Ser-Asp (SEQ ID No. 14) and Phe-Thr-Asp (SEQ ID No. 13).

4. (Currently amended) A ~~use~~ The method according to claim 1, wherein said peptide or said ~~[[a]]~~ polypeptide has the following amino acid sequence:

(A)_n-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-(B)_m (SEQ ID No. 15)

wherein

~~A, B is any natural occurring amino acid residue, A and B are independently from each other; and
n, m is an integer having values from 0—25; n and m being independently from each other~~

(A)_n and (B)_m vary independently and are amino acid sequences comprising any sequence of naturally occurring amino acids;

wherein n is an integer ranging from 0 to 25 and n is the number of amino acid residues in said amino acid sequence (A)_n; and

wherein m is an integer ranging from 0 to 25 and m is the number of amino acid residues in said amino acid sequence (B)_m.

5. (Currently amended) A-use The method according to claim 4, wherein, if $n > 2$, (A)_n has the following sequence (A)_n further comprises a primary amino acid sequence:

(X)_o -Phe-Thr-Asp-(Y)_p

wherein X, Y is (X)_o and (Y)_p vary independently and are primary amino acid sequences comprising

any sequence of naturally occurring amino acids; and residue, X and Y are independently from each other; and o, p is an integer having values from 0—11, o and p being independently from each other wherein o is an integer ranging from 0 to 11 representing the number of amino acid residues in said amino acid sequence (X)_o; and

wherein p is an integer ranging from 0 to 11 representing the number of amino acid residues in said amino acid sequence (Y)_p.

6. (Currently amended) A-use The method according to claim 5, wherein, if $o > 2$, (X)_o has the following sequence:

(X')_q-His-Ser-Asp-(X")_r,

wherein X', X" is (X')_q and (X")_r vary independently and are amino acid sequences comprising any sequence of natural occurring amino acids; residue, X' and X" are independently from each

other; and r, q is an integer having values from 0—4, r and q being independently from each other wherein q is an integer ranging from 0 to 4 representing the number of amino acid residues in said amino acid sequence (X')_q; and

wherein r is an integer ranging from 0 to 4 representing the number of amino acid residues in said amino acid sequence (X^r)_r.

7. (Currently amended) A-use The method according to claim 4, wherein the sequence of said peptide or said polypeptide is selected from the following group:

(i) Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No. 4);

(ii) Phe-Thr-Asp-X¹-X²-X³-X⁴-X⁵-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-Asn-Ser-Ile-Leu-Asn (SEQ ID No.5);

(iii) Phe-Thr-Asp-Asn-Tyr-Thr-Arg-Leu-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-Asn-Ser-Ile-Leu-Asn (SEQ ID No. 6);

(iv) Phe-Thr-Asp-Ser-Tyr-Ser-Arg-Tyr-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No. 7);

(v) His-Ser-Asp-X¹-X²-Phe-Thr-Asp-X³-X⁴-X⁵-X⁶-X⁷-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No.8);

(vi) His-Ser-Asp-Ala-Val-Phe-Thr-Asp-Asn-Tyr-Thr-Arg-Leu-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No. 9);

(vii) His-Ser-Asp-Gly-Ile-Phe-Thr-Asp-Ser-Tyr-Ser-Arg-Tyr-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu (SEQ ID No. 10);

(viii) His-Ser-Asp-X¹-X²-Phe-Thr-Asp-X³-X⁴-X⁵-X⁶-X⁷-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-X⁸-X⁹-X¹⁰-X¹¹(-X¹²) (SEQ ID No. 11);

(viii ix) His-Ser-Asp-Ala-Val-Phe-Thr-Asp-Asn-Tyr-Thr-Arg-Leu-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-Asn-Ser-Ile-Leu-Asn (SEQ ID No. 1, VIP);

(ix) His-Ser-Asp-Gly-Ile-Phe-Thr-Asp-Ser-Tyr-Ser-Arg-Tyr-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-Ala-Ala-Val-Leu (SEQ ID No. 3, PACAP-27);

(xi) His-Ser-Asp-X¹-X²-Phe-Thr-Asp-X³-X⁴-X⁵-X⁶-X⁷-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-X⁸-X⁹-X¹⁰-X¹¹-X¹²-X¹³-X¹⁴-X¹⁵-X¹⁶-X¹⁷-X¹⁸-X¹⁹-X²⁰-X²¹-X²² (SEQ ID No. 12); and

(xii) His-Ser-Asp-Gly-Ile-Phe-Thr-Asp-Ser-Tyr-Ser-Arg-Tyr-Arg-Lys-Gln-Met-Ala-Val-Lys-Lys-Tyr-Leu-Ala-Ala-Val-Leu-Gly-Lys-Arg-Tyr-Lys-Gln-Arg-Val-Lys-Asn-Lys (SEQ ID No.2, PACAP-38);

wherein X¹ – X²² is any naturally occurring amino acid residue.

8. (Currently amended) ~~A-use~~ The method according to claim 7, wherein any of said peptides or polypeptides is ~~an~~ in a stabilized form.

9. (Currently amended) ~~A-use~~ The method according to any of the claims 1 - 8, wherein said peptide or said polypeptide has the biological function of, or is functionally similar to VIP or PACAP, or any biologically active derivative, truncated form, analogue or fusion protein thereof.

10. (Currently amended) ~~A-use~~ The method according to any of the claims 1 –[[[9]] 8], wherein said ~~medicament-peptide or said polypeptide~~ is provided as an aerosol applicable for inhalation.